



# LED FLOOD LIGHT SERIES



CRI	luminous angle	IP	Life	Ambient temperature	Color	Green	Save
>80	5°~120°	IP 65	50000H	-35°C 65°C	3000K > 80lm/w F>21lm/W		\$80%



Model	KONS DEMW12
WORKING VOLTAGE	AC100V-260V
POWER	120W/150W
BEAM ANGLE	23°
COLOR TEMPERATURE	3000K-6000K
COLOR RENDERING INDEX	Ra>80
OPERATING TEMPERATURE	-25-+40
RATED LIFE HOURS	50,000H
LED CHIP	CREE, Lumileds, Osram, Nhia

## DESCRIPTIONS

- High efficiency, low energy consumption.
- Good quality beam.
- Long life span 50000 hours.
- Flexible control, Dimming by changing current
- Ecological, The waste can be recycled.
- No pollution and mercury.

## Note

- ⚠ This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- ⚠ Do not attempt to install or use a fixture until you read and understand the installation instructions and safety labels.
- ⚠ Fixtures have line voltage risk of shock and no user serviceable parts. Do not attempt to open them.
- ⚠ Do not hot swap fixtures. Ensure that power to the series is off before connecting or disconnecting individual fixtures.
- ⚠ Do not use a fixture if the lens, housing, or power cables are damaged.
- ⚠ Do not use a fixture for any voltage for which it is not rated. Do not exceed the specified voltage and current input for any fixture.
- ⚠ Caution led radiation do not stare into beam class 2 LED products.